105, Neelkanth, Opp. Pushp Vinod Building, S.V. Road, Borivali West, Mumbai - 400092, INDIA. +91 22 28627033 +91 22 28076566

info@shahagro.in

www.shahagro.in



PRODUCT CATALOGUE





# WHO ARE WE?

For our 28 golden years, the SHAH AGRO story has spelled supreme achievements in style, performance and innovation in the building material segment in India and abroad, "keeping improvement and pursing excellence" is the core of our quality's requirement. We believe that our expertise will bring you excellent quality, the best service, competitive prices, fashionable designs and professional recommendation; it will be your best choice to cooperate with us.

### PVC HIGH PRESSURE BRAIDED HOSE



- Qualified hi-strength lucent fibre-wire, PVC synthesis materials.
- Clearance and transparent pipe body is easy for controlling the carrying of liquid flux
- Strong power for felting internal and external layers, is high pressure resistance, non toxic and long life span.

| SIZE MM | SIZE INCH | WORKING PRESSURE<br>KG. Cm2 | BURSTING PRESSURE<br>KG. Cm2 | COIL LENGTH MTRS. |  |
|---------|-----------|-----------------------------|------------------------------|-------------------|--|
| 5 3/16  |           | 24                          | 72                           | 100               |  |
| 6       | 1/4       | 24                          | 72                           | 1,00              |  |
| 8       | 5/16      | 24                          | 72                           | 100               |  |
| 10      | 3/8       | 24                          | 72                           | 100               |  |
| 12      | 1/2       | 21                          | 64                           | 100               |  |
| 16      | 5/8       | 18                          | 52                           | 50                |  |
| 20      | 3/4       | 18                          | 48                           | 50                |  |
| 25      |           | 15                          | 44                           | 50                |  |
| 31      | 1-1/4     |                             | 40                           | 30                |  |
| 38      | 1-1/2     | 12                          | 36                           | 30                |  |
| 50      | 2         | 10                          | 32                           | 30                |  |










- Adopt qualified PVC synthesis materials and net shaped polyester fibre.
- Light weight, soft, elastic and easy for moving.
- Good durability
- The ideal necessity for various garden irrigation, vehicle washing and daily washing.

| SIZE MM | SIZE<br>INCH | WORKING PRESSURE BURSTING PRESSUR KG. Cm2 |    | COIL LENGTH<br>MTRS. |  |
|---------|--------------|---|----|----------------------|--|
| 12      | 1/2          | 10  | 30 | 100/30               |  |
| 16      | 5/8          | 9   | 27 | 50                   |  |
| 20      | 3/4          | 8   | 24 | 50/30                |  |
| 25      |              | 7   | 21 | 50/30                |  |



### PVC SUCTION HOSE



PVC reinforced suction hoses are a challenge to the best in the industry. It has a rigid PVC spiral reinforcement between soft walls which makes it an ideal replacement to rubber hoses. It is light in weight and extremely flexible. It can be put to task even at the most demanding curves & bends with absolutely no loss of flexibility. Smooth inside and outside it has an excellent resistance to pressure, external impacts, most of the chemicals, gases, light acids and saline water. Suction hoses are available in a wide range such as medium duty hose (green), heavy duty hose (grey).

#### Medium Duty Hose (Green)

| Normal Size |     | I.D.      | O.D.       | Bending Radius | Working Pressure | Standard Length |
|-------------|-----|-----------|------------|----------------|------------------|-----------------|
| Inches      | mm  | mm        | mm         | mm             | mm               | mm              |
| 3/4         | 20  | 19.0 *    | 23.6 **    | 45             | 7.0              | 30              |
| ////        | 25  | 25.0 *    | 30.0 **    | 60             | 7.0              | 30              |
| 1 1/4       | 30  | 31.8*     | 36.8 **    | 80             | 6.5              | 30              |
| 1 1/2       | 38  | 38.0 *    | 43.3 **    | 110            | 5.0              | 30              |
| 2           | 50  | 50.8 **   | 57.8 **    | 130            | 4.0              | 30              |
| 2 1/2       | 65  | 63.5 **   | 72.0 **    | 175            | 4.0              | 30              |
| 3           | 75  | 76.2 **   | 85.0 **    | 275            | 3.5              | 30              |
| 4           | 100 | 101.2 **  | 112.2 **   | 310            | 3.5              | 15/30           |
| 5           | 125 | 127.0 *** | 141.0 ***  | 280            | 3.0              | 15              |
| 6           | 150 | 152.4 *** | 169.4 **** | 400            | 2.5              | 15              |

Tolerance in ID/OD : [\* = + 0.5] [\*\* = + 1.0] [\*\*\* = + 1.5] [\*\*\*\* = +2.0]





#### PVC GARDEN HOSE





The Rapid Tubes is the household users partner for life. It is a non-reinforced general purpose tube which comes as transparent. Coloured or plain opaque according to specification. It is available in various sizes (diameter 4.5 mm to 50 mm) as well as thickness (0.75 mm to 6 mm).

PVC tubes can be supplied in food grade non-toxic from on request.

- PVC tubing can be used in gardening, general water transportation & water connections etc.
- It can be used for domestic pesticide spraying & water spraying etc.
- It is used as levelling tubes in constructions.
- It finds applications in automobiles and laboratories.



## UPVC, CPVC & ABS CEMENT



Invogue makes a wide range of high-strength PVC, CPVC, and ABS solvent cements manufactured for a variety of pipe joining applications. All products are manufactured under strict quality control methods and meet or exceeds international standards where applicable. Available in regular medium, and heavy-bodied formulas, invogue line of medium and fast-set cements accommodate all schedules and sizes, exceeds ASTM standards.

#### HDPE ROPES FEATURES AND USES



#### **HDPE ROPES - FEATURES:**

Being designed from 100 % virgin polymer, HDPE Ropes are also referred as Synthetic Fiber Ropes. HDPE ropes are best known because of their underlining features such as very long, stringy and fibrous by texture. Being light in weight but significantly strong enough to cater diverse industrial needs in comparison of natural fiber ropes. HDPE rope also have less water absorption property which makes them suitable while manufacturing fishing nets. The whole picture of HDPE rope features are as follows.

- Fairly soft and easy to splice as well as easy on hands while working with them.
- Resistant to corrosion, cracks, ultraviolet and all chemicals.
- Relatively high melting point.
- Nontoxic and recyclable
- Durable and posses high tensile strength
- Capable to withstand even on extremes weather conditions.
- Available in various major proportion (most common proportion range from 0.5 mm to 2.5 mm)



#### HOSE CLIPS, HOSE CLAMP & SADDLE CLIPS







Housing holds screw firmly as housing & strip / band are spot welded together which withstands high pressure & stress

Worm Drive Hose Clips have rounded edges for no cuts on pipes/ hoses

Each hose clip is punched with size and code no.

Clips are tested to avoid any manufacturing defect & to keep best quality standard.

Worm Drive Hose Clips are zinc plated with yellow – passivation

We are the leading suppliers of Hose Clamps. These Steel Hose Clamps are finished in the perfect manner have strong body. We also offer them in various sizes, shapes and dimensions that can also be customized accordingly

Galvanised saddle Clips. For securing steel tube. Available in range of sizes. These are sized with reference to the Nominal Bore of pipe (NB) that they will accept. AVAILABLE SIZE ½ to 6'

## PRODUCTS ARE ASSURED TO HAVE DURABILITY AND QUALITY STANDARDS







#### **TARPAULINS**

These are customized as per the specifications of our clients and are supplied at industry leading prices

- 1. **Fabric:** Available in 80 GSM, 110 GSM, 125 GSM, 200 GSM, 250 GSM, 450 GSM.
- 2. Form: Available in bundle and roll form.
- 3. **Size:** These Tarapaulins are available in standard & tailor made, heat welded further adds to its strength and makes it 100 % waterproof & stitch less. If necessary it could be stitched in different sizes as per clients requirements
- 4. **Type:** Virgin
- 5. Colour: Many colours (Yellow, Blue, Gray, Orange, Green, Black, Pink, Double Colours)
- 6. **Coating:** The Fabric used is laminated on both sides with UV stabilized LDPE in different gauges to enhance durability.
- 7. **Textured used:** Made from Heavy duty HDPE woven fabric
- 8. Remarks: Our exhaustive range of HDPE tarapaulin cover are light weight, rot proof, rust proof, easy to repair, and very user friendly. We provide excellent finish to all our products by hemming them on all four sides and affixing heavyduty eyelets on all sides and corners.





## SANITARYWARE



Over 20 series of sanitary wares including art basin, cabinet basin, wall-hung toilet, one-piece toilet, two-piece toilet, pedestal basin, wall-hung basin, counter basin, bathroom cabinet, bidet, urinal, faucet, and other bathroom accessories, making out individual, quiet, water-saving, green and high-quality products, fully displaying the elegant of quality, We discipline ourselves by using the leading standard of the world, not only on design, but also on quality, and search out a better combination of bathroom space, comfort and beauty.



